

# Magnifiers

THE COMPLETE RANGE



daylight

when light matters

# Contents

|    |                                                 |
|----|-------------------------------------------------|
| 2  | What We Do                                      |
| 4  | About Us                                        |
| 6  | iQ™ Magnifier (25100)                           |
| 8  | Omega 7™ Magnifier (25130)                      |
| 10 | Omega 5™ Magnifier (25110)                      |
| 12 | Omega™ 3.5 Magnifier (25500)                    |
| 14 | MAG Lamp XL™ Magnifier (1300)                   |
| 16 | Mag S™ + Floorstand Magnifier (1230)            |
| 18 | Magnificent Pro™ 3-in-1 Magnifying Lamp (25090) |
| 20 | Halo Go 2™ Rechargeable Magnifier (25400)       |
| 22 | YoYo™ Magnifier (1350)                          |
| 24 | iQ Pro™ Magnifier (25105)                       |
| 26 | Omega 7™ ESD (25171)                            |
| 28 | Accessories: Professional Floorstand (53060)    |
| 29 | Accessories: Professional Table Base (52080)    |
| 30 | Customer Support                                |





# What We Do

At the heart of Daylight is a simple idea. We combine light quality, ergonomics and design to create the perfect magnifying lamp for your task.

Our highly functional products make a real difference by ensuring you have the best light to see every detail and colour, when it matters. Our inspiration comes from our customers and we love hearing how our lamps have enabled them to work more precisely, accurately and creatively.

Bring daylight indoors with our beautifully designed, high-performance products. We hope you love your Daylight magnifying lamp as much as we do.





# About Us

## WE MAKE THE DETAILS EASIER TO SEE

Sometimes the smallest details matter most. Our magnifying lamps combine clear, high-quality lenses with carefully designed illumination, helping you see intricate work with greater clarity. Practical, comfortable and easy to position, they bring light and magnification exactly where you need them.



### LIGHT

Natural daylight combined with the right brightness and spread of light



### ERGONOMICS

Positioning the lamp exactly where the light is needed



### DESIGN

We create contemporary lamps that look and work perfectly in your home or professional environment



12 diopter (4.0X)  
swing arm lens  
included



Free motion  
head joint



4 brightness  
levels

# iQ™

## MAGNIFIER

(25100)

Powerful and precise magnifying lamp featuring bright 8,000 lux at 15cm (6") with 95+ CRI LEDs for true colour accuracy. With 3 colour temperatures and dual-mode dimming (4 Step Dimmer or Continuous Dimmer), the iQ offers optimum clarity when working. 4 Segment illumination gives the ability to create shadows and enhance particular details. Featuring a 7" Acrylic, 3 diopter anti-scratch lens with additional 12 diopter swing arm lens. Includes a magnetic locking lens cover for lens protection and energy saving 9 hour auto-shut off feature.

## FEATURES

- 8,000 lux at 15cm (6")
- 95+ CRI Daylight LEDs
- 3 colour temperatures - Daylight (5,500K), Cool Light (4,000K) and Warm Light (2,700K)
- 4 brightness levels and continuous dimmer
- 4 separate lighting segments for increased contrast & clarity
- 7" (17.5cm) anti-scratch acrylic lens, 3 diopter (1.75X magnification)
- Additional swing arm lens, 12 diopter (4X magnification)
- 3 pivot Free-motion Head Joint - No Wing nut - Holds effortlessly in any position
- Transparent Lens Protector for underside of lens
- Quick change lens for cleaning or fitting optional higher magnification lens
- Magnetic locking lens cover included - can be stored on the arm when not in use
- Energy Saving auto-shut-off after 9 hours



LIGHT  
QUALITY



ERGONOMICS



DESIGN





Covered arms with  
internal springs



Adjustable head joint  
with wing nut



4 brightness levels

# Omega 7™

## MAGNIFIER

(25130)

A flexible magnifying lamp with a large 7" 3 diopter anti-scratch acrylic lens, delivering powerful brightness with 8,000 lux at 15cm (6") and 95+ CRI daylight LEDs. Featuring 3 colour temperatures and dual-mode dimming (4 Step Dimmer or Continuous Dimmer) to provide optimum comfort while working. 4 Segment illumination gives the ability to create shadows and enhance particular details and a 9 hour auto-shut-off feature saves energy.

## FEATURES

- 8,000 lux at 15cm (6")
- 95+ CRI Daylight LEDs
- 3 colour temperatures - Daylight (5,500K), Cool Light (4,000K) and Warm Light (2,700K)
- 4 brightness levels and continuous dimmer
- 7" (17.5cm) anti-scratch acrylic lens, 3 diopter (1.75X magnification)
- Quick change lens for cleaning or fitting optional higher magnification lens
- 4 separate lighting segments for increased contrast & clarity
- 3 pivot head joint with ergonomic wingnut
- Magnetic locking lens cover included  
- can be stored on the arm when not in use
- Energy Saving auto-shut-off after 9 hours



LIGHT  
QUALITY




ERGONOMICS



DESIGN





Adjustable head joint with wing nut



3 diopter & 5 diopter glass lenses included



Free motion arm for perfect positioning

# Omega 5™

## MAGNIFIER

(25110)

A flexible magnifying lamp featuring two 13cm (5") glass lenses with 3 Diopter (1.75X) and 5 Diopter (2.25X), delivering powerful brightness with 7,000 lux at 15cm (6") and 95+ CRI daylight LEDs. Featuring 3 colour temperatures and 4 brightness levels, the Omega 5 is designed for optimum comfort while working. Long reach arm provides flexibility across any workstation or desk. When not in use, the included magnetic locking cover protects the lens.

## FEATURES

- 7,000 lux at 15cm (6")
- Includes two 13cm (5") lenses with 3 Diopter (1.75X) and 5 Diopter (2.25X)
- Quick change lens feature (no tools required)
- 4 brightness levels
- 95+ CRI Daylight LEDs
- 3 colour temperatures - Daylight (5,500K), Cool Light (4,000K) and Warm Light (2,700K)
- 3 pivot head joint with ergonomic wingnut
- Magnetic locking lens cover included  
- can be stored on the arm when not in use
- Energy Saving auto-shut-off after 9 hours





LIGHT  
QUALITY



ERGONOMICS



DESIGN



4 brightness levels



Flexible, long reach arm



Removable, slim profile clamp

# Omega 3.5™

## MAGNIFIER

(25500)

Closely inspect your area of work with optimum illumination using this compact and lightweight magnifying light. Bright daylight LEDs circle the lens and are easily adapted to different tasks with a choice of 4 brightness levels. Smoothly position the 9cm lens with 5 diopter (2.25X) magnification exactly where needed using the adjustable arm and rotating head joint. Flexible and functional, enjoy a quick and hygienic clean-up thanks to the silicon covered arm.

## FEATURES

- 9cm (3.5") acrylic lens
- Lens magnification: 5 diopters (2.25X)
- Lens cover included
- Long reach arm: 75cm (29.5") with two flexible sections
- Carry bag included
- Removable, slim profile clamp



Carry-bag with shoulder strap included



5,570  
LUMENS



6.5W ENERGY  
CONSUMPTION



7,000 LUX  
AT 15CM (6")



25,000 LED  
LIFE HOURS



Easily adjustable  
spring arm



17.7cm glass lens  
with 3 diopter (1.75X)  
magnification



Space saving  
table clamp

# MAG Lamp XL™

## MAGNIFIER

(1300)

With a modern and aesthetically pleasing design, the MAG Lamp XL is your ideal companion when carrying out detailed tasks or treatments. With 2 brightness levels, a 17.7cm (7") glass lens and adjustable spring arm, you can position this magnifier exactly where you need it and choose the most suitable brightness setting for your task at hand.

## FEATURES

- Modern and attractive slim design
- 17.7cm (7") glass lens with 3 diopter (1.75X) magnification
- Bright daylight LEDs
- 2 brightness levels
- Easily adjustable spring arm
- Maximum reach 108cm (42.5")

## ACCESSORIES AVAILABLE

- Professional Table Base [52080]
- Professional Floorstand [53060]



770  
LUMENS



11.5W ENERGY  
CONSUMPTION



5,300 LUX  
AT 15CM (6")



25,000 LED  
LIFE HOURS





Easily adjustable  
spring arm



12.7cm (5") glass lens,  
3 diopter (1.75X)



Stable  
floorstand

# Mag S + Floorstand™

MAGNIFIER

(1230)

A magnifier floor stand combination that allows for freedom of movement when working on details. With a large 12.7cm (5") lens (3 dioptres) and 95+ CRI Daylight LEDs for perfect clarity. Choose between 3 colour temperatures (2,700K / 4,000K / 5,500K), and 2 brightness levels for any task. Rolling floor stand with extra stable base for enhanced durability and steadiness, and includes a fabric lens cover for when not in use.

## FEATURES

- 12.7cm (5") glass lens, 3 diopter (1.75X)
- Daylight LEDs and 95+ CRI for true colour matching
- 2 brightness levels
- Choice of 3 colour temperatures: Daylight 5,500K,
- Cool light 4,000K, or Warm light 2,700K
- Easily adjustable spring arm
- Solid and stable floorstand with easy roll wheels
- Easily remove magnifier from stand
- Includes fabric lens cover




LIGHT  
QUALITY



ERGONOMICS



DESIGN



# Magnificent Pro™

3-IN-1 MAGNIFYING LAMP  
(25090)



Daylight LEDs  
provide true colour  
matching



Large 13cm (5") (1.75X)  
semi-rimless lens



Magnetic lens cover

The 3-in-1 versatility of the Magnificent Pro allows it to be used as a Floor Magnifying Lamp, a Table Magnifying Lamp and a Task Lamp. Its large 13cm (5") (1.75X) semi-rimless magnifying lens gives you a clear view of your work and the magnetically attached cover transforms the magnifier into an elegant task lamp. The daylight LEDs provide high contrast and accurate colour matching, making it easier and less tiring to work while seeing detail clearly.

## FEATURES

- 3-in-1 Magnifying Lamp: Floor Magnifier, Table Magnifier and Task Lamp
- Magnetically attached lens cover
- 3 diopter (1.75X) semi-rimless magnifying lens
- Large 13cm (5") diameter lens
- Daylight 5,500 K and 95+ CRI to see colours accurately
- 3 brightness levels so you can adjust the brightness to your task at hand
- Flexible arm directs the magnifier head exactly where you need it



1,065  
LUMENS



13W ENERGY  
CONSUMPTION



3,000 LUX  
AT 30CM (12")



25,000 LED  
LIFE HOURS






Compact design  
folds flat



2 brightness levels



5 diopter (2.25X)  
magnification lens

# Halo Go 2™

## RECHARGEABLE MAGNIFIER

(25400)

Designed for versatility, this portable and rechargeable magnifying lamp is perfect for a wide range of tasks requiring precision and detailed work. Whether you're engaged in needlework, reading, painting, jewellery making, or other intricate activities, it delivers exceptional lighting and magnification to meet your needs. The brightness remains consistent for the full 8 hours. It can also be used as a high-quality light source with the safety cover closed, making it a practical tool for everyday use.

### FEATURES

- 4,200 Lux at 15cm (6")
- Daylight 5,500 K / 95+ CRI LEDs for accurate colour matching
- 9cm (3.5") diameter lens with 5 diopter (2.25X) magnification and
- 12-diopter (4.0X) inset lens
- USB-C rechargeable with up to 8 hours of consistent brightness
- Battery level indicator
- Folds flat
- USB cable included for easy and efficient charging
- Soft velvet carry bag included



LIGHT  
QUALITY



ERGONOMICS



DESIGN



5.5cm (2.2") lens  
- Magnification 8D  
(3.0X)



3 bright LEDs



Wrist strap included

# YoYo™

## MAGNIFIER

Parfaitement portable, cette lampe loupe de poche éclairera votre travail grâce à ses LED lumière du jour fonctionnant sur piles. Idéale pour diverses tâches de précision, la Yo-Yo est remarquablement compacte, robuste et simple d'utilisation.

### FEATURES

- Compact foldable pocket LED magnifier
- 3 bright LEDs
- 5.5cm lens – Magnification 8D (3,0X)
- Ideal to use when out and about
- Comes with a wrist strap
- Requires 3 x AAA batteries (not included)

Original White  
/ Burgundy  
1350



Lilac  
1353



Sage Green  
1352



Sky Blue  
1351



LIGHT  
QUALITY



ERGONOMICS



DESIGN



3 pivot Free-motion  
Head Joint



4 brightness  
levels



3 colour temperatures

# iQ Pro<sup>TM</sup>

## MAGNIFIER

(25105)

A powerful, professional grade magnifying lamp with 10,000 lux at 15cm (6") and 95+ CRI for true colour clarity and reduced eye strain. With 3 colour temperatures (5,500K, 4,000K, 2,700K) and dual-mode dimming (4 Step Dimmer or Continuous Dimmer) for ultimate brightness control. 4 Segment illumination gives the ability to create shadows and enhance particular details. Featuring a 7" optical-grade glass, 3 Diopter anti-reflection lens with additional 12D and 8D swing arm lens. Includes a magnetic locking lens cover for lens protection and energy saving 9 hour auto-shut off feature.

## FEATURES

- 10,000 lux at 15cm (6")
- Magnetic locking lens cover included - can be stored on the arm when not in use
- 7" (17.5cm) optical glass lens, 3 diopter (1.75X) with anti-reflection coating
- 3 colour temperatures - Daylight (5,500K), Cool Light (4,000K) and Warm Light (2,700K)
- Double Lens swing arm, 12 diopter (4.0X) and 8 diopter (3.0X)
- 3 pivot Free-motion Head Joint - No Wing nut  
- Holds effortlessly in any position
- 95+ CRI Daylight LEDs
- 4 brightness levels and continuous dimmer
- 4 separate lighting segments for increased contrast & clarity
- Quick change lens for cleaning or fitting optional higher magnification lens
- Energy Saving auto-shut-off after 9 hours




LIGHT  
QUALITY



ERGONOMICS



DESIGN





# Omega 7™ ESD

## MAGNIFIER

(25171)

Our Omega 7 ESD Magnifier uses carbon-fibre and special conductive coatings to guarantee 100% ESD compliance for the lifetime of the magnifier. A large 17.5cm (7") 3-diopter, optical quality glass lens and powerful illumination with 8,000 lux at 15cm (6") and daylight LEDs with a CRI of 95+. Offering 3 color temperatures and dual-mode dimming (4-step or continuous), it provides optimal comfort and control while you work. 4 independent lighting segments allow you to create shadows and highlight specific details for enhanced contrast and clarity. An automatic 9-hour shut-off feature also helps save energy when the lamp is not in use.

## FEATURES

- 100% ESD-safe illuminated magnifier that is independently certified
- Suitable for use in EPA (Electrostatic Protected Areas) to IEC 61340-5-1 and ANSI/ESD 20:20
- Magnetic locking lens cover included – stores conveniently on the arm when not in use
- 4 independent lighting segments to create shadows and enhance particular details
- 95+ CRI daylight LEDs
- 3 color temperatures – Daylight (5,500K), Cool Light (4,000K), and Warm Light (2,700K)
- 4 brightness levels and continuous dimming
- 17.5cm (7") optical quality glass lens, 3 diopter (1.75x magnification)
- Quick-change lens for easy cleaning
- Durable carbon fibre, 3-pivot head joint with ergonomic wing nut
- Energy-saving automatic shut-off after 9 hours
- 8,000 lux at 15cm (6")



LIGHT  
QUALITY



ERGONOMICS



DESIGN



# Professional Floorstand


(53060)

## HIGH QUALITY 5 SPOKE FLOORSTAND.

A unique and robust design enhances stability and supports the heaviest Daylight lamps and magnifiers. Easy to assemble, the floorstand glides smoothly across any surface.

### COMPATIBLE WITH

- iQ™ Magnifier (25100)
- Omega™ 7 Magnifier (25130)
- Omega™ 5 Magnifier (25110)



# Professional Table Base

(52080)

## THIS HEAVY DUTY TABLE BASE SUPPORTS ALL DAYLIGHT LAMPS AND MAGNIFIERS.

Easy to assemble, this durable table base enhances stability and supports the heaviest Daylight products.

### COMPATIBLE WITH

- iQ™ Magnifier (25100)
- Omega™ 7 Magnifier (25130)
- Omega™ 5 Magnifier (25110)





# Customer Support

Our customers are at the heart of what we do and our dedicated Customer Service team is here to answer any questions you may have as rapidly as possible. We love hearing from our customers and learning about their experiences with our products so don't hesitate to get in touch with us. We look forward to hearing from you.

## GUARANTEE

We aim to provide the highest quality products that exceed our customers' expectations.

All Daylight products are guaranteed against manufacturing faults for 3 years from the date of purchase.

For full terms and conditions visit:  
[daylightcompany.com/pages/3-year-warranty](https://daylightcompany.com/pages/3-year-warranty)



The Daylight Company Ltd. reserves the right to modify or change any of the specifications listed without prior notice.  
Copyright © The Daylight Company Ltd. 2026

**United Kingdom (Head Office)**  
The Daylight Company Ltd  
89-91 Scrubs Lane  
London NW10 6QU

T: +44 (0)20 8964 1200  
E: [info.uk@daylightcompany.com](mailto:info.uk@daylightcompany.com)

**United States of America**  
T: +1 281 781 8693  
E: [info.us@daylightcompany.com](mailto:info.us@daylightcompany.com)

**Australia**  
T: 07 3317 8430  
E: [info.au@daylightcompany.com](mailto:info.au@daylightcompany.com)

**France**  
T: +44 (0)20 8964 1200  
E: [info.fr@daylightcompany.com](mailto:info.fr@daylightcompany.com)

**Germany**  
T: +44 (0)20 8964 1200  
E: [info.de@daylightcompany.com](mailto:info.de@daylightcompany.com)

**International**  
T: +44 (0)20 8964 1200

**Website**  
[daylightcompany.com](http://daylightcompany.com)



M20232604 UK



**daylight**  
when light matters

**JewelTRACT®**  
TRUCK, ST. KIT & SERIES